POWER OF ATTORNEY BY ASSIGNEE OF ENTIRE INTEREST AND REVOCATION OF PRIOR POWERS

Honorable Commissioner of Patents and Trademarks Washington, D.C. 20231

Sir:

As assignee of record of the entire right, title and interest, the undersigned corporation hereby revokes all previous powers of attorney and appoints the attorneys and/or agents of Staas & Halsey LLP under USPTO Customer No. 21,171 to prosecute and transact all business in the United States Patent and Trademark Office for the following listed patent applications:

| Oocket No. | Serial No.: | Filing Date | inventor(s) | PROCESS FOR PERFORMING AT |
|------------|-------------|---------------------|--------------------------|--|
| 1454.1249 | 08/416.827 | April 17, 1995 | Stefan SIEBER et al. | LEAST ONE TEST ON AT LEAST ONE OF THE OBJECTS OF AN OBJECT-ORIENTED PROGRAM CAPABLE OF RUNNING IN PARALLEL ON A COMPUTER |
| 1454.1250 | 09/572,982 | May 17, 2000 | Istvan SEBESTYEN | METHOD AND ARRANGEMENT FOR THE TRANSMISSION OF FACSIMILE-ENCODED INFORMATION BETWEEN MULTIMEDIA-CAPABLE COMMUNICATION TERMINAL EQUIPMENT |
| 1454.1251 | 08/680,927 | July 16, 1996 | Volker TRESP et al. | METHOD FOR COMBINING A PLURALITY OF ESTIMATORS BASED ON STATISTICAL. METHODS PROCESS AND DEVICE FOR |
| 1454.1252 | 09/011,349 | February 2, 1998 | Gerhard RITTER | REDUCING COMMON CHANNEL INTERFERENCE IN CELLULAR JD- CDMA RADIO SYSTEMS |
| 1454.1253 | 08/726,946 | October 7, 1996 | Markus EBLE et al. | CONTROLLING INFORMATION TO BE DISPLAYED IN AN OPTICAL DISPLAY INSTALLATION |
| 1454.1254 | 09/091,171 | June 9, 1998 | | PROCESS FOR CRYPTOGRAPHICALLY SECURING COMPUTER-CONTROLLED DIGITAL COMMUNICATIONS BETWEEN A PROGRAM AND AT LEAST ONE USER UNIT DIGITAL SIGNAL TRANSMISSION |
| 1454.1255 | 09/117.799 | August 6, 1998 | Wolfgang FRAAS et äl. | SYSTEM RADIO RELAY ARRANGEMENT |
| 1454.1256 | 09/125,105 | August 6, 1998 | Achim Von BRANDT | FOR EXTENDING THE RANGE ON THE RADIO LINK OF A TELECOMMUNICATION SYSTEM |





| 1454.1257 | 09/142,116 | | Stefan BÖCKING | METHOD AND DEVICE FOR TRANSMITTING A DATA PACKET |
|---|-------------|------------------|--------------------|---|
| , -0-16 (40) | | 1998 | et al. | USING ETHERNET FROM A FIRST |
| ì | | 1 | 1 | USING ETHERNET FROM A FIRST |
| ļ | | | 1 | DEVICE TO AT LEAST ONE OTHER |
| | | j | | DEVICE |
| | 00/04/ 107 | December | Günter LUFT et al. | DIRECT METHANOL FUEL CELL |
| 1454.1258 | 09/214,107 | 28. 1998 | | |
| | | | Gerhard | SPEECH PROCESSING SYSTEM |
| 1454.1259 | 09/254,242 | March 2, | NIEDERMAIR et | AND METHOD |
| | | 1999 | 1 | 74.5 |
| | | | al | METHOD FOR ASSESSING THE |
| 1454.1260 | 09/269,982 | April 5, 1999 | Martin SOIKA | MEASURING ACCURACY OF A |
| 1-14-11-1-1 | , | | Į. | SENSOR DESIGNED TO MEASURE |
| | | | · · | SENSOR DESIGNED TO MEASURE |
| | | 1 | | THE DISTANCE ON AN OFF-LINE |
| | | | | MOBILE SYSTEM |
| | 09/297,392 | Aril 30, 1999 | Gustavo DECO et | METHOD OF CLASSIFYING |
| 1454.1261 | 09/29/,352 | Au 30, 1330 | ai. | STATISTICAL DEPENDENCY OF A |
| | | | | MEASURABLE SERIES OF |
| | | | | STATISTICAL VALUES |
| | | 4 4000 | Marcus BESSON | BASE STATION FOR A RADIO |
| 1454.1262 | 09/319,412 | June 4, 1999 | Marcus BE33014 | TELECOMMUNICATIONS SYSTEM |
| | | 1 | Therepies TLIANO | CODE-MODULATED |
| 1454.1263 | 09/101,548 | July 10, 1998 | Zhongping ZHANG | TRANSMISSION PROCESS AND |
| • | l | | et al. | TRANSMISSION SYSTEM |
| | | l . | | OPERATING ACCORDING |
| | | | | |
| | | | | THERETO |
| 1454,1264 | 09/341,586 | July 14, 1999 | Klaus HÜNLICH | METHOD FOR REALIZING |
| 1454, (207 | 05/04/,005 | | ļ | EMULATED RING NETWORK |
| | | i | Į. | STRUCTURES IN A |
| | Į. | 1 | ŀ | COMMUNICATION NETWORK THAT |
| | | į | ŀ | IS DESIGNED ACCORDING TO |
| | | | 1 | ASYNCHRONOUS TRANSFER |
| | | | | MODE |
| | | July 7, 1999 | Hans-Dieter | METHOD FOR DISPLAYING |
| 1454.1265 | 09/341,211 | July 1, 1993 | HECKER et al. | PERFORMANCE FEATURE NAMES |
| | 1 | [| 1120100100100 | AT A COMMUNICATION TERMINAL |
| | 1 | ļ | 1 | EQUIPMENT |
| | | <u> </u> | | METHOD FOR COMPUTER- |
| 1454,1266 | 09/357,778 | August 18, | Peter | SUPPORTED ERROR ANALYSIS OF |
| | | 1999 | LIGGESMEYER | SENSORS AND/OR ACTUATORS IN |
| | | | | SENSORS AND/OR AS I ON ON ON |
| | | | <u> </u> | A TECHNICAL SYSTEM ISDN NETWORK WITH DECT |
| 1454,1257 | 09/403,666 | October 25, | Horst FLAKE | ISDN NE IVORY WITH DECI |
| 1404,1201 | 30, 122,223 | 1999 | · | INTERMEDIATE SYSTEM |
| 4454 4259 | 09/403,513 | October 22, | Winfried GLASER | PROGRAMMABLE PHASE |
| 1454.1268 | 03/403,313 | 1999 | et al | MATCHING |
| | 00/450 048 | December | Wolfgang FRAAS | METHOD AND MATCHING MEANS |
| 1454.1269 | 09/452,018 | 30,.1999 | et al. | FOR UTILIZING PERMANENT |
| | 1 | 30,.1333 | C. S. | CONNECTIONS OF AN ATM |
| | - { | | 1 | COMUNICATION NETWORK FOR |
| | | l . | | COMMUNICATION RELATIONSHIPS |
| 1 | 1 | | | BETWEEN COMPONENTS OF A |
| | 1 | 1 | 1 | TIME-DIVISION-ORIENTED |
| 1 | 1 | 1 | | |
| | | l | <u> </u> | COMMUNICATION NETWORK |
| 4454 4075 | | February 22, | Klaus HÜNUCH et | METHOD FOR THE TRANSMISSION |
| 1454 1270 | 09/486 130 | I LEDITORY & SET | 1/1902 11011001101 | |
| 1454.1270 | 09/486,130 | | 1 | OF PAYLOAD DATA CAPABLE OF |
| 1454.1270 | 09/486,130 | 2000 | al. | OF PAYLOAD DATA CAPABLE OF ALLOCATION TO DIFFERENT APPLICATIONS |





T-536 P.006/008 F-646

| 1454.1271 | 09/485,139 | February 22, 2000 | Wolfgang FRAAS et al. | METHOU FOR TRANSMITTING ALL- 5 TYPE ATM ADAPTATION LAYER |
|--------------|---------------|-------------------|-----------------------|---|
| | j | | | FRAMES INTERFACE CIRCUIT FOR FULL- |
| 454 4272 | 09/486,355 | February 24, | | CUSTOM AND SEMI-CUSTOM |
| 1454.1272 | 03,400,000 | 2000 | NIEDERMAIER et | CLOCK DOMAINS |
| | Ì | | al | TELECOMMUNICATION NETWORK |
| 1454.1273 | 09/140,733 | August 27, | Karl FUCHS et al. | AND STATE PROPAGATION |
| | 30,110,12 | 1998 | | METHOD |
| | 1 | | | COMMUNICATION SYSTEM |
| 1454.1274 | 09/509,049 | March 21, | Jürgen | COMMUNICATION |
| 1404.1214 | | 2000 | BRIESKORN | METHOD FOR ADMINISTERING |
| 1454.1275 | 09/509,060 | March 22, | Karl-Ulrich STEIN | PARTITIONED RESOURCES IN A |
| 7454.14/0 | | 2000 | | COMMUNICATION NETWORK |
| | | <u> </u> | | ARRANGEMENT FOR DATA |
| 1454.1276 | 09/203,717 | December 2, | Franz SCHREIB et | PROCESSING |
| 1404.14.5 | | 1998 | aL | DEVICE AND METHOD FOR |
| 1454,1277 | 09/555,912 | June 6, 2000 | Reinhard DEMI et | CONTROLLING A DATA |
| 1-10 11 1001 | 1 | | al. | TRANSMISSION OPERATION |
| | | | | RETWEEN A FIRST ATM DEVICE |
| | ì | [| 1 | AND A SECOND ATM DEVICE |
| | <u>l</u> | | Reinhard DEMI et | DEVICE AND METHOD FOR |
| 1454.1278 | 09/555,920 | June 6, 2000 | 1 - | CONTROLLING DATA |
| | \ |] | al. | TRANSMISSION OPERATION |
| | | † | İ | BETWEEN A FIRST ATM DEVICE |
| | | | | AND A SECOND ATM DEVICE |
| | | September | Dietmar KRAUSS | METHOD FOR DETECTING AND |
| 1454.1279 | 09/646,496 | 18, 2000 | et al. | PROCESSING INFORMATION |
| | Ì | 18, 2000 | 10.00 | RELEVANT TO ESTABLISHING A |
| | | } | | TELEPHONE CONNECTION IN A |
| | | ļ | ł | CTI SYSTEM AND |
| | | | <u> </u> | CORRESPONDING CTI SYSTEM |
| | 09/673,746 | October 20. | Klaus WEHREND | NETWORK SWITCHING UNIT FOR |
| 1454,1280 | 03(013,130 | 2000 | | A COMMUNICATION SYSTEM |
| 7.54.4004 | 09/720,961 | | Klaus HÜNLICH | METHOD FOR ESTABLISHING A |
| 1454.1281 | 09/120,301 | 2001 | Ĭ | ROUTE VIA A COMMUNICATIONS |
| | | | | NETWORK |
| 1454.1282 | 09/744,079 | January 19, | Klaus HÜNLICH et | METHOD FOR SWITCHING DATA |
| 1434.1202 | 03(1-1-)(0) + | 2001 | ai. | RECEIVED VIA A PACKET- ORIENTED DATA TRANSMISSION |
| | | · | 1 | |
| ł | | | | METHOD FOR SWITCHING A FIRS |
| 1454.1283 | 09/762,169 | February 2, | Klaus WEHREND | COMMUNICATION LINK TO A |
| | | 2001 | et al. | SECOND COMMUNICATION LINK |
| | Ì | | İ | |
| | | } | \ | COMMUNICATIONS SYSTEMS |
| | | | | |
| 1454.1284 | 09/529,195 | April 7, 2000 | | COMPUTING ELEMENTS, METHO |
| 1454.1264 | | | al. | FOR COMPUTER-ASSISTED |
| | | [| | DETERMINATION OF DYNAMICS |
| | | 1 | 1 | WHICH IS THE BASE OF A |
| | ļ | | | DYNAMIC PROCESS, AND |
| | , | | | METHOD FOR COMPUTER |
| | ļ |] | | ASSISTED TRAINING OF AN |
| • | - 1 | | | ASSEMBLY OF INTERCONNECTE |
| | | | 1 | ELEMENTS |



| | | O -t-mboc | Markku KORPI et | METHOL AND ARRANGEMENT |
|---|-------------|-------------------|--------------------------|--|
| 454.1285 | 09/398,682 | September | al. | FOR WIRELESS COMMUNICATION |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Ì | 20, 1999 | - | BY MEANS OF AT LEAST TWO |
| | | | , , <u>,</u> | NETWORK COMPUTERS |
| | | | Wolfgang FRAAS | METHOD FOR IDENTIFYING A HUB |
| 1454.1286 | 09/787,730 | March 21, | | CONNECTING A COMMUNICATION |
| | | 2001 | et al. | TERMINAL AND A SWITCHING |
| | | | · l | EVETEM |
| | | | 52008 | TITUOD FOR CONNECTING |
| 1454.1287 | 09/806,265 | March 28, 2001 | Wolfgang FRAAS et al. | COMMUNICATION TERMINALS TO |
| | | | | LA ENVITCHING SYSTEM VIA A |
| | | | 1 | LACIABRIBICATION NETWORK |
| | | · | | TOWNS DEVICE AND METHOD |
| . = 4 4000 | 09/527,140 | March 16, | Harald BERGER et | LOG BABALLEI CONNECTION OF |
| 1454.1288 | Q9/32/,1-10 | 2001 | l al. | SUBSCRIBER TERMINAL DEVICES |
| | | ļ ⁻ | | THE THOR AND DEVICE FUR |
| | 09/979,490 | November | Regina HELLWIG | DESIGNING OR OPTIMIZING A |
| 1454.1289 | 031313,400 | 16, 2001 | | TECHNICAL SYSTEM |
| | | | | METHOD, ARRANGEMENT AND |
| | 09/979,832 | November | Reinhart | COMPUTER PROGRAM FOR |
| 1454.1290 | 09/9/9,632 | 26, 2001 | SCHULTZ | DESIGNING A TECHNICAL SYSTEM |
| | 1 | 20, 200 | | METHOD FOR OPERATING A |
| | 100 H 1 200 | October 8, | Markku KORPI et | SWITCHING DEVICE UPON |
| 1454.1291 | 09/415,368 | 1999 | al. | UTILIZATION OF DIFFERENT |
| | | 1023 | | SIGNALIZNG PROTOCOLS AND |
| | | 1 | (| SIGNALIZNG PROTOCOLO 7411 |
| | | | | APPARATUS THEREFOR SYSTEM FOR CONTROLLING AND |
| | | June 14. | Uwe LANGER et | SYSTEM FOR CONTROLLING THE |
| 1454.1292 | 09/676,242 | 2001 | al. | MONITORING FIRST TELECOMMUNICATION TERMINA |
| | } | 2001 | \ | DEVICES CONNECTED TO |
| | | \ | | PRIVATE BRANCH EXCHANGES |
| | | | | PRIVATE BRANCH EXCITATIONS |
| Ì | | | | OR SECOND TELECOMMUNICATION TERMINA |
| 1 | \ | | ì | DEVICES COUPLED TO LONG |
| • | | l l | • | DEVICES COUPLED TO COM |
| | | Į. | | DISTANCE NETWORKS COMMUNICATION INSTALLATION |
| | 09/858,351 | May 15, | Juergen HOEFIG | AND METHOD FOR SETTING UP |
| 1454.1293 | 09/858,351 | 2001 | 1 - | AND METITOD 1 OF THE 1 |
| | ĺ | 2001 | | CONNECTION METHOD AND APPARATUS FOR |
| 1454.1294 | 10/100,954 | March 19, | Thomas ENGEL | METHOD AND AFFARATON OF |
| | | 2002 | | THE DYNAMIC REGULATION OF |
| | | 2002 | 1 | RESOURCE SPLITTING OVER A |
| | } | | 1 | PLURALITY OF DATA STREAMS |
| | \ | \ | | COMPETING FOR THESE |
| 1 | 1 | l l | | RESOURCES IN A |
| | 1 | \ | | COMMUNICATIONS NETWORK B A DYNAMIC RELEASE RATE |
| | 1 | 1 | • | A DYNAMIC RELEASE IVALE |

All correspondence and telephone communications should be directed to:

Staas & Halsey LLP
700 Eleventh Street, N.W., Suite 500
Washington, D.C. 20001
Telephone: 202.434.1512
Facsimile: 202.434.1501

21171
PATENT TRADEMARK OFFICE

ASSIGNEE CERTIFICATION

The undersigned assignee further states that the registered attorneys and/or agents identified in the new power of attorney above, are empowered and authorized to sign the statement(s) and certification(s) under 37 CFR 3.73(b) on behalf of the assignee. Attached to this power is/are "CERTIFICATE(S) UNDER 37 CFR 3.73(b)."

Siemens Aktiengesellschaft

Dated 77 May 2008

Álbert Wiedemann

Corporate Intellectual Property Support

Head of Administration Munich

SIEMENS AG

P.O. Box 22 16 34

D-80506 Munich

GERMANY

Dated 24.05 2002 ______

Bv:

Jacob Eisenberg

Senior Patent Counsel

CT PR

SIEMENS AG

P.O. Box 22 16 34

D-80506 Munich

GERMANY





LAW OFFICES STAAS & HALSEY LLP

Telephone 1 4 1 (202) 434-1500 700 Eleventh Street, N.W. Suite 500 Washington, D.C. 20001

<u>Facsimile</u> (202) 434-1501

FACSIMILE TRANSMISSION

October 53, 2002

TO:

United States Patent and Trademark Office

ATTN:

Examiner Saba Tsegaye

FAX NO.: (703)872-9314

TELEPHONE: (703)308-4754

FROM:

Mark J. Henry

RE:

Serial No. 09/117,799

OUR DOCKET: 1454.1255

NO. OF PAGES (Including this Cover Sheet) ___8


PRIVILEGED & CONFIDENTIAL

The information contained in this communication is confidential, may be attorney-client privileged, and is intended only for the use of the addressee(s). Unauthorized use, disclosure or copying is strictly prohibited. If there are any problems with this transmission, please contact us immediately.

COMMENTS:

Transmitted herewith is a copy of the Power of Attorney filed in the above referenced application on June 18, 2002 and a Request for Change of Address to be filed in the above referenced application.





Please Date Stamp and return

Power of Attorney and Revocation of Power of Attorney; Statement and Certification under 37 CFR 3.73(b)

APPLICANT(S):

Wolfgang FRAAS et al.

SERIAL NO:

09/117,799

CONFIRMATION NO.

TITLE:

DIGITAL SIGNAL TRANSMISSION SYSTEM

FILING DATE:

August 6, 1998

DOCKET NO:

1454.1255/MJH:mf

DUE DATE:



